

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 2 | query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:38 |
| L2 | 0 | L1 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:46 |
| L3 | 16 | query adj fingerprint and model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:50 |
| L4 | 5 | query adj fingerprint and candidate adj fingerprint and model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:50 |
| L5 | 3 | L4 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:50 |
| L6 | 2 | L4 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:51 |
| L7 | 10 | query adj fingerprint and model and threshold and (signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:55 |
| L8 | 3 | L7 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:55 |
| L9 | 2 | L8 and candidate adj fingerprint and model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:56 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| L10 | 1 | query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:03 |
| L11 | 0 | (query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).dm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:04 |
| L12 | 0 | (query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).dm. | US-PGPUB | OR | ON | 2009/03/20 15:04 |
| L13 | 1 | query adj fingerprint and statistical adj model and(signal or video or audio)and search \$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:06 |
| L14 | 74 | query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:06 |
| L15 | 73 | query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 and database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:06 |
| L16 | 54 | L15 and (@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:07 |
| L17 | 15 | L15 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:07 |
| L18 | 0 | L17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:08 |
| L19 | 0 | L17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:08 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| L20 | 3 | L17 and model\$1 and threshold and(signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:09 |
| L21 | 2 | L20 and vector and distance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:09 |
| L22 | 2 | L21 and(match\$3 or comparision or correlation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:11 |
| L23 | 2 | L22 and query adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:12 |
| L24 | 0 | L23 and statistical adj model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:12 |
| L25 | 2 | L23 and model\$1 and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:13 |
| L26 | 25 | ((JOB) near2 (OOSTVEEN)). INV. | US-PGPUB; USPAT | OR | ON | 2009/03/20 15:19 |
| L27 | 1 | L26 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:19 |
| L28 | 98 | ((ANTONIUS) near2 (KALKER)).INV. | US-PGPUB; USPAT | OR | ON | 2009/03/20 15:20 |
| L29 | 2 | L28 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:20 |
| L30 | 1 | L29 and(@ad< "20031118" or @rlad< "20031118" or @prad< "20031118" or @ptad< "20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:21 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| L31 | 0 | L30 and @ad< "20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:21 |
| L32 | 48 | ((JAAP) near2 (HAITSMA)). INV. | US-PGPUB; USPAT | OR | ON | 2009/03/20 15:21 |
| L33 | 1 | L32 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:22 |
| L34 | 0 | (query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and search\$3 and extract\$3 and(comparison or match\$3 or correlation or similar)).CLM. | US-PGPUB | OR | ON | 2009/03/20 15:25 |
| L35 | 1 | (query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparison or match\$3 or correlation or similar)).CLM. | US-PGPUB | OR | ON | 2009/03/20 15:25 |
| L36 | 36741 | "382"/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:26 |
| L37 | 0 | L36 and query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparison or match\$3 or correlation or similar) | USPAT | OR | ON | 2009/03/20 15:26 |
| L38 | 1 | L36 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:27 |
| L39 | 0 | L38 and @ad< "20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:28 |
| L40 | 10 | L36 and query adj fingerprint | USPAT | OR | ON | 2009/03/20 15:30 |
| L41 | 0 | L40 and fingerprint and statistical adj model and threshold\$1 | US-PGPUB | OR | ON | 2009/03/20 15:31 |
| L42 | 0 | L40 and candidate adj fingerprint and statistical adj model and threshold\$1 | US-PGPUB | OR | ON | 2009/03/20 15:31 |
| L43 | 1 | L40 and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:32 |
| L44 | 14212 | "704"/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:32 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| L45 | 1 | L44 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:33 |
| L46 | 28368 | *700*/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:34 |
| L47 | 0 | L46 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:35 |
| L48 | 0 | L46 and query adj fingerprint | USPAT | OR | ON | 2009/03/20 15:35 |
| L49 | 0 | *396*/\$.ccls | USPAT | OR | ON | 2009/03/20 15:35 |
| L50 | 0 | L49 and query adj fingerprint | USPAT | OR | ON | 2009/03/20 15:36 |
| L51 | 0 | L49 and fingerprint | USPAT | OR | ON | 2009/03/20 15:36 |
| L52 | 100 | query adj fingerprint and database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:37 |
| L53 | 13 | L52 and query adj fingerprint and candidate adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:38 |
| L54 | 8 | L53 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:39 |
| L55 | 1 | L54 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 and construct\$3 adj query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:40 |
| L56 | 0 | L55 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:40 |
| L57 | 4 | L54 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:41 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| L58 | 91 | (("20070071330") or ("20090028441") or ("7142699") or ("20030169910") or ("20080270373") or ("6314196") or ("5953443") or ("20070003114") or ("20070067304") or ("6001562") or ("6240409") or ("5910999") or ("6292830") or ("6041133") or ("6317544") or ("6320974") or ("6466686") or ("6990453") or ("7206437") or ("7346512") or ("7356170") or ("20020083060") or ("20050004941") or ("20050084143") or ("20050144455") or ("20050180614") or ("20060122839") or ("20060161777") or ("20070203904") or ("20080208891") or ("20090012984") or ("6275601") or ("7369688") or ("5067162") or ("5272657") or ("6094507") or ("5917928") or ("5613014") or ("5960101") or ("20040260682") or ("4618988") or ("6002785") or ("6493709") or ("6757675") or ("6778688") or ("20020164058") or ("20030120647") or ("6356649") or ("6628834") or ("20070160259") or ("").pn.)). | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/20 15:46 |
| L59 | 15 | L58 and query adj fingerprint and database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:52 |
| L60 | 2 | L59 and query adj fingerprint and candidate adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:58 |
| L61 | 1 | L60 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:59 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| L62 | 0 | L61 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:59 |
| L63 | 0 | "707"/\$.cds | USPAT | OR | ON | 2009/03/20 15:59 |
| L64 | 32080 | "707"/\$.cds. | USPAT | OR | ON | 2009/03/20 15:59 |
| L65 | 13 | L64 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:00 |
| L66 | 3 | L65 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:00 |
| L67 | 3 | L66 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | USPAT | OR | ON | 2009/03/20 16:00 |
| L68 | 2 | L67 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 16:01 |
| L69 | 1 | L68 and (statistical adj model or model\$1)and threshold and (comparison or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:02 |
| L70 | 95295 | "340"/\$.cds. | USPAT | OR | ON | 2009/03/20 16:07 |
| L71 | 1 | L70 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:07 |
| L72 | 0 | L71 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:07 |
| L73 | 0 | L71 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | USPAT | OR | ON | 2009/03/20 16:08 |
| L74 | 0 | L71 and (statistical adj model or model\$1)and threshold and (comparison or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:08 |
| L75 | 1 | L71 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 16:08 |
| L76 | 51940 | "356"/\$.cds. | USPAT | OR | ON | 2009/03/20 16:09 |
| L77 | 0 | L76 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:09 |
| L78 | 10687 | "283"/\$.cds. | USPAT | OR | ON | 2009/03/20 16:09 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| L79 | 2 | L78 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:09 |
| L80 | 0 | L79 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:10 |
| L81 | 0 | L79 and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:10 |
| L82 | 1 | L79 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | USPAT | OR | ON | 2009/03/20 16:10 |
| L83 | 0 | L82 and (statistical adj model or model\$1)and threshold and (comparison or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:10 |
| L84 | 0 | L82 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 16:11 |
| L85 | 22832 | *713*/\$.ccls. | USPAT | OR | ON | 2009/03/20 16:12 |
| L86 | 2 | L85 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:13 |
| L87 | 1 | L86 and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:13 |
| L88 | 0 | L87 and (statistical adj model or model\$1)and threshold and (comparison or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:13 |
| L89 | 0 | L87 and @ad<"20031118" | USPAT | OR | ON | 2009/03/20 16:14 |

3/20/09 4:38:17 PM

C:\Documents and Settings\Schawan\My Documents\EAST\Workspaces\9412.wsp